**Date:** 3/12/23

## **GUIDEHOUSE ELIGIBILITY ASSESSMENT**

Project Name	Lott Drain
Estimated Cost	\$50,000
Risk Level (for non-revenue	Low
loss categories)	
LFRF Supporting Guidance	"Publicly and privately owned, permitted and unpermitted
	projects that manage, reduce, treat, or recapture
	stormwater or subsurface drainage water are eligible." (Final Rule, p. 276-277).
	( <u>Final Rule</u> , ρ. 270-277).
	"The CWSRF includes a broad range of stormwater
	infrastructure projects, and as such these projects were
	eligible under the interim final rule and continue to be
	eligible under the final rule. These projects include gray
	infrastructure projects, such as traditional pipe, storage, and
	treatment systems. Projects that manage, reduce, treat,
	or recapture stormwater or subsurface drainage water are also eligible, including real-time control systems for
	combined sewer overflow management, and sediment
	controlIn addition to the eligible uses under the CWSRF,
	Treasury is expanding the eligible uses under the final rule
	to include stormwater system infrastructure projects
	regardless of whether there is an expected water quality
	benefit from the project. (Final Rule, p. 281-282).
Proposed Expenditure	EC 5.6 Clean Water: Stormwater
Category	20 0.0 Gloan Water. Sterniwater
Disadvantaged Communities	N/A
Requirement?	
Other potential reporting	Obligations and Expenditures
requirements	Project Status
	Not Started     Completed less than 50 percent
	Completed 1633 than 66 percent     Completed 50 percent or more
	<ul> <li>Completed</li> </ul>
	Project Description
	Projected/actual construction start date (month/year)
	Projected/actual initiation of operations date     (no anth / a an)
	(month/year)  • Location
	National Pollutant Discharge Elimination System
	(NPDES) Permit Number (if applicable)
	Public Water System (PWS) ID number (if
	applicable)
	Median Household Income of service area
	Lowest Quintile Income of the service area
	Subaward Information
	Subrecipient/Contractor Information

## Livingston County | Planning and Implementation of ARPA Projects Date: 3/12/23

Recommendations/Concern s	<ul> <li>Be that federal procurement guidelines have been followed if the County moves forward with classifying this project under EC 5.6; initial read leaves us to believe that the project will be competitively bid in spring of 2023.</li> <li>Let work on getting these reporting requirements triaged as soon as possible given it sounds like the project may have or is ready to begin.</li> </ul>
Additional information requests	n/a